



STATE OF WASHINGTON
DEPARTMENT OF HEALTH
Olympia, Washington 98504

NOTICE OF ADOPTION OF A POLICY STATEMENT

Title of Policy Statement: Self-Treatment or Treatment of Immediate Family Members
| POL2022-02

Issuing Entity: Washington Medical Commission

Subject Matter: Practitioners treating family members or themselves

Effective Date: March 4, 2022

Contact Person: Michael Farrell, JD, Policy Development Manager
Washington Medical Commission
Michael.farrell@wmc.wa.gov
509.329.2186

OFFICE OF THE CODE REVISER
STATE OF WASHINGTON
FILED

DATE: April 14, 2022

TIME: 12:35 PM

WSR 22-09-045

Policy Statement



WASHINGTON
**Medical
Commission**
Licensing, Accountability, Leadership.

Title:	Self-Treatment or Treatment of Immediate Family Members	POL2022-02
References:	RCW 18.130.180(6)	
Contact:	Washington Medical Commission	
Phone:	(360) 236-2750	E-mail: medical.commission@wmc.wa.gov
Supersedes:	MD2013-03.01	
Effective Date:	March 4, 2022	
Approved By:	John Maldon, Chair (signature on file)	

The Washington Medical Commission (WMC) believes that practitioners generally should not treat themselves or members of their immediate families.¹ Professional objectivity may be compromised when an immediate family member or the practitioner is the patient; the practitioner's personal feelings may unduly influence his or her professional medical judgment, thereby interfering with the care being delivered.

Practitioners may fail to probe sensitive areas when taking the medical history or may fail to perform intimate parts of the physical examination. Similarly, patients may feel uncomfortable disclosing sensitive information or undergoing an intimate examination when the practitioner is an immediate family member. This discomfort is particularly the case when the patient is a minor child, and sensitive or intimate care should especially be avoided for such patients.

When treating themselves or immediate family members, practitioners may be inclined to treat problems that are beyond their expertise or training. If tensions develop in a practitioner's professional relationship with a family member, perhaps as a result of a negative medical outcome, such difficulties may be carried over into the family member's personal relationship with the practitioner.

Concerns regarding patient autonomy and informed consent are also relevant when physicians attempt to treat members of their immediate family. Family members may be reluctant to state their preference for another practitioner or decline a recommendation for fear of offending the practitioner. In particular, minor children will generally not feel free to refuse care from their parents. Likewise, practitioner may feel obligated to provide care to immediate family members even if they feel uncomfortable providing care.

It would not always be inappropriate to undertake self-treatment or treatment of immediate family members. In emergency settings or isolated settings where there is no other qualified practitioner available, practitioners should not hesitate to treat themselves or family members until another practitioner becomes available. In addition, while practitioners should not serve

¹ This policy is taken largely from the American Medical Association [Code of Ethics Opinion 1.2.1](#).

as a primary or regular care provider for immediate family members, there are situations in which routine care is acceptable for short-term, minor problems. Documentation of these encounters should be included in the patient's medical records.

Except under the limited circumstances described above, practitioners should not access the medical records of themselves or their family members. Practitioners can always access records through the appropriate use of a patient portal.

Practitioners should be aware that [RCW 18.130.180\(6\)](#) prohibits practitioners from prescribing controlled substances to themselves. The WMC strongly discourages practitioners from prescribing controlled substances to their family members.